

Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM#	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
1.00	GENERAL REQUIREMENTS				
	Mobilization/Demobilization and Site Clearing		lot		
	Temporary Facilities		lot		
	Construction Safety and Health (PPE, Const. safety signages)		lot		
	Project billboard (4'x8') 2 set		set		
	SUB-TOTAL				
2.00	EARTH WORKS				
	Excavation		cu.m.		
	Backfilling/filling materials		cu.m.		
	Line and grade		lot		
	SUB-TOTAL				
3.00	CONCRETE WORKS				
	Slab Roof Deck				
3.1	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	12 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		i - i		
2 2			kgs		
3.2	Column		h		
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	28 mmø Steel Bars Structural Grade 40		pcs.		
	12 mmø Steel Bars Structural Grade 40		pcs.		
	#16 Tie Wire		kgs		
3.3	Beam				
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	20 mmØ Steel Bars Structural Grade 40		pcs.		
	10 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
3.4	Roof Beam				
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	20 mmø Steel Bars Structural Grade 40		pcs.		
	10 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
3.5	Lintel Beam (Column to Column)				
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	12 mmø Steel Bars Structural Grade 40		pcs.		
	10 mmø Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
3.6	Сапору				
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	12 mmØ Steel Bars Structural Grade 40		pcs.		
	10 mmØ Steel Bars Structural Grade 33		pcs.		



Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	#16 Tie Wire	,	kgs		
3.7	Ramp		0-		
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	12 mmø Steel Bars Structural Grade 40		pcs.		
	#16 Tie Wire		kg		
	Heavy Duty Galvanized steel grating		set		
	Tactile Paving Blocks/Blind paving (Yellow)0.20m.x0.20m		pcs.		
	#10 black, white & brown pebbles (Ramp NGL to 1st & 2nd floor)		bags		
3.8	Parapet wall		2460		
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	Gravel,3/4		cu.m.		
	12 mmØ Steel Bars Structural Grade 40		pcs.		
	#16 Tie Wire		kgs		
	SUB-TOTAL		- ŭ		
4.00	FORM WORKS/ SCAFFOLDINGS		1		
	Column				
	1/4" x4'x8' Ordinary Plywood		sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 1 ½ Common wire nails # 2 ½		kg.		
	Common wire nails # 4				
4.2	Roof Beam		kg.		
4.2	1/4" x4'x8' Ordinary Plywood		shoots		
			sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 2 ½		kg.		
	Common wire nails # 4		kg.		
4.3	Slab Roof Deck				
	1/4" x4'x8' Ordinary Plywood		sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 2 ½		kg.		
	Common wire nails # 4		kg.		
4.4	Lintel Beam and Canopy				
	1/4" x4'x8' Ordinary Plywood		sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 2 ½		kg.		
	Common wire nails # 4		kg.		
4.5	Parapet wall				
	1/4" x4'x8' Ordinary Plywood		sheets		
	2"x3"x12' Coco Lumber		pcs.		
	2"x2'x12' Coco Lumber		pcs.		
	Common wire nails # 1 ½		kg.		
	Common wire nails # 2 ½		kg.		
			0.		1



Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Common wire nails # 4	Ψ	kg.		
4.6	Scaffolding for painting and Ceiling works				
	2"x3"x12' coco lumber		pcs.		
	2"x2'x12' coco lumber		pcs.		
	Common wire nails # 4		kg.		
5.00	MASONRY WORKS INCLUDING WALL FOOTING				
5.1	Wall and plant box				
	CHB 4"		pcs.		
	CHB 6"		pcs.		
	Portland Cement,40 kg. (Type 1)		bags		
	Washed sand		cu.m.		
	10 mmØ Steel Bars Structural Grade 33		pcs.		
	#16 Tie Wire		kgs		
	SUB-TOTAL				
6.00	CARPENTRY WORKS				
6.1	Ceiling including Green wall Accent				
	Fiber Cement Board 1.20m x2.40m x1/4" thk.		sheets		
	Double Metal Furring Channel		lights		
	Currying Channel		lights		
	Wall Angle 1"x1"x4mmx8'		lights		
	Hardiflex Screw		pcs.		
	Blind rivets, 5/32"x3/4"		pcs.		
	Wall Clip		pcs.		
	#12 Hanger wire		kgs		
6.2	Green wall Accent				
	Fiber Cement Board 1.20m x2.40m x1/4" thk.		sheets		
	Double Metal Furring Channel		lights		
	Currying Channel		lights		
	Wall Angle 1"x1"x4mmx8'		lights		
	Hardiflex Screw		pcs.		
	Blind rivets, 5/32"x3/4"		pcs.		
	Wall Clip		pcs.		
	Artificial Grass, Green Rug coaster fence		sq.m.		
	Rugby		gal		
6.3	Toilet Cubicle & urinal privacy screen		J		
	Blade Mounted Overhead Braced (new graphite color) in 13mm Compact Laminate. With Total Privacy Solution. Door Furniture to be surface mounted Diecast Zinc, Alloy ZP3 (Satin Matte Black) Easy-Glide Slide Lock & indicator with Concealed Screw Fix. Aluminium to be Square Clear Anodised. Screw fixing. (1.400mx1.00m)		sets		
	Blade Mounted Overhead Braced (new graphite color) in 13mm Compact Laminate. With Total Privacy Solution. Door Furniture to be surface mounted Diecast Zinc, Alloy ZP3 (Satin Matte Black) Easy-Glide Slide Lock & indicator with Concealed Screw Fix. Aluminium to be Square Clear Anodised. Screw fixing. (1.400mx1.225m)		sets		
	Wall mouted urinal privacy screen (new graphite color) in 13mm Compact Laminate. Aluminium to be Square Clear Anodised. (1.7mx1.5m)		sets		
6.4	AVR Platform & Riser				
	Marine plywood, 1"x 4' x 8'		sheets		
	Stair Nosing 1½" x 3m. (Brass)		pcs.		
	0.50m x 0.50m Floor Carpet		pcs.		
	Rugby		gals.		
	Metal Screw 1½" full thread		pcs		
	Metal Solew 1/2 Tall tillead		pcs		



Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Tex Screw 2 ½" full thread	Ψ	pcs	OMIT COST	JOB TOTAL
6.5	Reserve section		pes		
0.5	Marine plywood, 3/4"x 4' x 8'		sheets		
	Synthetic Granite				
	·		sq.m.		
	1" x 1" x 3.5mm Angle Bar @ 6m. Length (standard)		length		
	1 ½"x1 ½" x3.5mm Angle Bar @ 6m. Length(standard)		length		
	Aluminum C-Type Handle Profile		length		
	Heavy duty Drawer ruler guide		sets		
	½" x4" Dyna bolt		pcs.		
	Stikwel		ltrs.		
	Common wire nails # 1 ½		kgs.		
	Common wire nails # 2		kgs.		
	SUB-TOTAL				
7.00	DOORS, WINDOWS & FIXED GLASS				
7.1	Doors & Windows				
	1.00m x 2.10m Panel Door-7 w/ door jamb and Stainless steel grab handle, kick plate				
	(mahogany)(2nd floor Male, LGBT Male, Female, LGBT Female Toilet and electrical room)(see		sets		
	specs and detail)				
	Double Swing Panel Door-11 (1.80m. x 2.10m.)w/ door jamb, Stainless steel grab handle and plate both side(see specs and detail)		sets		
	Double Swing Panel Door-12 (1.10m. x 2.10m.)w/ door jamb, Stainless steel grab handle and				
	plate both side(see specs and detail)		sets		
	1.00m x 2.00m Panel Door-13 w/ door jamb and Stainless steel liver type lockset		set		
	(mahogany)(1st floor pump room) (see specs and detail)		361		
	0.90m x 1.60m Panel Door-14 w/ door jamb and Stainless steel liver type lockset		set		
	(mahogany)(1st floor utility room) (see specs and detail)		361		
	Fire Rated Steel Door-15 (1.00m. x 2.10m.)w/ door jamb, Stainless steel grab handle (see specs		sets		
	and detail) Heavy Duty Stainless steel Panic devices		cot		
			set		
	Stainless steel liver type lockset		pcs.		
	Loose pin Hinges (3½"x 4") Hidden Frame Awning Window-5, (1/4"thk. Tinted glass xW-1.80m.xH-0.60m.)w/ 1 3/4"x 4"		pairs		
	Powder Coated Frame & Sealant (Male, LGBT Male, Female & LGBT Female Toilet)		sets		
	Hidden Frame Glass Curtain Wall with Awning Win6 (1/4"thk. Tinted glass xW-14.00m.xH-				
	3.40m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant		set		
	Hidden Frame Glass Curtain Wall with Awning Win7 (1/4"thk. Tinted glass xW-11.00m.xH-		set		
	3.40m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant		ડદા		
	Hidden Frame Glass Curtain Wall with Awning Win8 (1/4"thk. Tinted glass xW-5.00m.xH-		sets		
	3.40m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant Hidden Frame Glass Curtain Wall with Awning Win9 (1/4"thk. Tinted glass xW-4.00m.xH-		-		
	3.40m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant		sets		
	Hidden Frame Glass Curtain Wall with Awning Win10 (1/4"thk. Tinted glass xW-3.00m.xH-		cot		
	3.40m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant		set		
	Hidden Frame Glass Curtain Wall with Awning Win11 (1/4"thk. Tinted glass xW-10.00m.xH-		set		
	3.00m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant Hidden Frame Glass Curtain Wall with Awning Win12 (1/4"thk. Tinted glass xW-11.00m.xH-				
	2.30m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant		set		
	Hidden Frame Glass Curtain Wall with Awning Win13 (1/4"thk. Tinted glass xW-6.775m.xH-				
	2.15m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant		set		
	Hidden Frame Glass Curtain Wall Win14 (1/4"thk. Tinted glass xW-6.90m.xH-2.15m.)w/ 2		set		
	1/2"x 6" Powder Coated Frame & Sealant		300		
	Hidden Frame Glass Curtain Wall with Awning Win14 (1/4"thk. Tinted glass xW-6.90m.xH-		set		
	1.30m.)w/ 2 1/2"x 6" Powder Coated Frame & Sealant Glass law Partation (1/4"thk. Tinted glass xW-9.50m.xH-1.80m.)w/ 2"x 4" Powder Coated	}			
	Frame (AV Collection)		set		
	Frameless Tempered Fixed Glass (1/2"thk. x W-3.025m. x H-3.40m.) with complete fittings &				
	Accessories including installation (Stair Area)(see specs and detail)		sq.m.		
	Frameless Tempered Fixed Glass (1/2"thk. x W-7.225m. x H-3.40m.) with complete fittings &		ca m		
	Accessories including installation (Conference Room)(see specs and detail)	Ī	sq.m.		



Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Frameless Tempered Fixed Glass (1/2"thk. x W-5.525m. x H-3.40m.) with complete fittings &				
	Accessories including installation (Graduate studies)(see specs and detail)		sq.m.		
	Frameless Tempered Fixed Glass (1/2"thk. x W-11.591m. x H-3.40m.) with complete fittings &		sq.m.		
	Accessories including installation (Graduate studies)(see specs and detail)		34.111.		
	Frameless Tempered Fixed Glass (1/2"thk. x W-8.65m. x H-3.40m.) with complete fittings &		sq.m.		
	Accessories including installation (E-Library)(see specs and detail) Frameless Tempered Fixed Glass (1/2"thk. x W-5.75m. x H-3.40m.) with complete fittings &				
	Accessories including installation (Lobby Area)(see specs and detail)		sq.m.		
	Frameless Tempered Fixed Glass (1/2"thk. x W-4.80m. x H-3.00m.) with complete fittings &				
	Accessories including installation (Technical section)(see specs and detail)		sq.m.		
	Frameless Tempered Glass Sliding Door and Partition(1/2"thk. x W-5.75m. x H-3.40m.) with				
	complete fittings & Accessories including installation (Conference Room)(see specs & detail)		sq.m.		
	Frameless Tempered Glass Door and Partition (1/2"thk. x W-4.55m. x H-3.40m.) with complete				
	fittings & Accessories including installation (E-Library)(see specs & detail)		sq.m.		
	Frameless Tempered Glass Door and Partition(1/2"thk. x W-3.60m. x H-3.40m.) with complete		ca m		
	fittings & Accessories including installation (Graduate studies)(see specs & detail)		sq.m.		
	Frameless Tempered Glass Door and Partition(1/2"thk. x W-6.75m. x H-3.40m.) with complete		.a m		
	fittings & Accessories including installation (Main Entrance 2nd floor)(see specs & detail)		sq.m.		
	Frameless Tempered Glass Door and Partition(1/2"thk. x W-3.217m. x H-3.00m.) with complete				
	fittings & Accessories including installation (Technical section)(see specs & detail)		sq.m.		
	SUB-TOTAL				
8.00	TILEWORKS				
	Portland cement 40 kg. type 1		bags		
	Fine sand		cu.m.		
	0.60m x 0.60m (Textured Floor Tiles Stair, Hallway & Electrcal room 1st floor)		pcs.		
	0.60m x 0.60m (Floor tiles Male, LGBT Male, Female & LGBT Female Toilet)		pcs.		
	0.60m x 0.60m (Wall tiles Male, LGBT Male, Female & LGBT Female Toilet)(Floor to Ceiling)		pcs.		
	0.80m x 0.80m (Polished Floor Tiles 1st and 2nd floor)		pcs.		
	Stone Cladding (Plantbox)		sq.m.		
	Andorra Stonepavers Keyhole		sq.m.		
	ABC grout (2kls/bag)		bags		
	Stair Nosing 1½" x 3m. (Brass)		pcs.		
	SUB-TOTAL				
9.00	ROOFING WORKS				
	10mmthk Double Sided PE Foam Insulation		sq.m.		
	G.I. Tie Wire #14		rolls		
	0.50mm thk Twin-Rib Type Pre-Painted Long span Roofing		sq.m.		
	Flushing, Pre-Painted, Pre-fabricated, 0.5mm thk		pcs		
	0.60mm thk Fabricated Stainless Sheet Parapet Gutter, Grade 304		pcs		
	Downspout Roof Drain Stainless strainer, 4"(Cap round net cover)		pcs		
	Tex Screw 2 1/2" full thread		pcs		
	Blind rivets		pcs.		
	Silicone Sealant, clear				
	Vulca Seal		pcs gals		
	2" x 2"x 1/4"thk. x 6m. Length Angle Bar (standard)		length		
	1½"x1/4"x 6m. Flat bar (standard)				
	2"x 4"x 20'x 2mm. C-Purlins		length		
			length		
	20mmØ Turnbuckle		pcs		
	16mm dia. Round Bars Cross Bracing		length		
	12mm dia. @ 6m. length. Round Bar Sag Rod		length		
	Rust Converter		gals		
	Welding Rod		boxes		



Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
PVC downspout 4" dia. x10',S1000	٧	pcs.	0	302 101712
		•		
ÿ				
		·		
SUB-TOTAL		1		
TEEL WORKS				
VR Platform & Riser				
2" x 2"x 1/4"thk. x 6m. Length Angle Bar (standard)		length		
eel Framed Canopy				
		length		
		length		
		pcs.		
		pcs.		
H-clep		pcs.		
U-clep		pcs.		
Silicone sealant				
ın Breaker				
		length		
· · · · · · · · · · · · · · · · · · ·				
, ,				
		pcs.		
·				
		length		
` '				
·				
SUB-TOTAL				
AINTING WORKS				
ood Surface				
Quick Dry Enamel Paint, Gloss		gals.		
Flatwall Enamel Paint		gals.		
Paint Thinner		gals.		
Automotive Lacquer				
·				
Lacquer Spot Putty				
Lacquer Thinner		gal		
oncrete and Cement board Surface				
oncrete and Cement board Surface Acrylic Latex Paint, Gloss		gals.		
7	PVC 90 deg. bend elbow 4" dia. PVC 45 de. bend elbow 4" dia. PVC coupling 4" dia. SUB-TOTAL EEL WORKS (R Platform & Riser 2" x 2"x 1/4"thk. x 6m. Length Angle Bar (standard) 3" x 3"x 1/4"thk. x 6m. Length Angle Bar (standard) 1"x x 1"y" 1/4"thk. x 6m. Length Angle Bar (standard) 2" x 6" x 3mm x 6.0m Tubular (standard) 2" x 4" x 3mm x 6.0m Tubular (standard) 3" x 3"x 1/4"thk. x 6m. Length Angle Bar (standard) 2" x 4" x 3mm x 6.0m Tubular (standard) 3" x 3"x 2 x 2m x 6.0m Tubular (standard) 4" x 1" x 1"x 1"x 1"x 1"x 1"x 1"x 1"x 1"x	PVC 90 deg. bend elbow 4" dia. PVC 45 de. bend elbow 4" dia. PVC coupling 4" dia. SUB-TOTAL EEL WORKS ### Pidtform & Riser ### Riser ### 2" x 2"x 1/4" thk. x 6m. Length Angle Bar (standard) ### 3 x 3" x 1/4" thk. x 6m. Length Angle Bar (standard) ### x 1½" 1/4" thk. x 6m. Length Angle Bar (standard) ### x 1½" 1/4" thk. x 6m. Length Angle Bar (standard) ### x 1½" 1/4" thk. x 6m. Length Angle Bar (standard) ### 2" x 6" x 3mm x 6.0m Tubular (standard) ### 3 x 3mm x 6.0m Tubular (standard) ### 3 x 3mm x 6.0m Tubular (standard) ### 4" x 8" ### H-clep ### U-clep ### U-clep ### U-clep ### U-clep ### 2" x 4" x 2mm x 6.0m Tubular (standard) ### 3" x 2mm x 6.0m Tubular (standard) ### 3" x 2mm x 6.0m Tubular (standard) ### 3" x 2mm x 6.0m Tubular (standard) ### 4" x 3" x 2mm x 6.0m Tubular (standard) ### 4" x 3" x 2mm x 6.0m Tubular (standard) ### 4" X 3" x 2mm x 6.0m Tubular (standard) ### 4" X 3" x 2mm x 6.0m Tubular (standard) ### 4" X 3" x 3	PVC 90 deg. bend elbow 4" dia.	PVC 90 deg. bend elbow 4" dia.



Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	Skimcoat	ζ''	bags	0.4.1 0031	JOD TOTAL
	Concrete Neutralizer		quart		
	Liquid Tile Cast		gals.		
	Liquid Tile Reducer		gals.		
	Body Filler		gals.		
11 3	Metal Surface		Ba131		
11.5	Epoxy Primer black w/ catalyst		gals.		
	Paint Thinner		gals.		
	Automotive Paint		gals.		
	Sand Paper #120		pcs.		
	Roller Brush 6"		pcs.		
	Paint Brush 4"		pcs.		
	Paint Brush 3"		pcs.		
	Paint Brush 2"		pcs.		
	SUB-TOTAL		pcs.		
12.00	PLUMBING				
	Fixtures				
	Water Closet with Sensor Operated Concealed Toilet flush valve & comp. Accessories (Soap & Tissue Holder)(Female, LGBT Female, Male & LGBT Male Toilet 2nd floor)		sets		
	Counter Top Lavatory w/ Sensor Operated & comp. Accessories (Lav.Faucet,Traps)(see specs and detail)(Female, LGBT Female, Male & LGBT Male Toilet 2nd floor)		sets		
	Granite Counter Slab, 0.60m x 2.40m Galaxy black for Lavatory (see specs and detail)(Female, LGBT Female, Male & LGBT Male Toilet 2nd floor)		pcs.		
	Urinal with Concealed Sensor urinal flush valve & comp. Accessories (see specs and		sets		
	detail)(Male Toilet 2nd floor) Counter Mirror 2.10m.x 1.00m. (Female, LGBT Female, Male & LGBT Male Toilet 2nd floor)		sets		
	Floor Drain US Stainless 4"		pcs.		
12.2	Sanitary Lines				
	PVC Pipe, 4"x10' (S-1000)		pcs.		
	PVC Pipe, 3"x10' (S-1000)		pcs.		
	PVC Pipe, 2"x10' (S-1000)		pcs.		
	PVC Wye, 4"x 4"		pcs.		
	PVC Wye, 3"x 3"		pcs.		
	PVC Wye, 2"x 2"		pcs.		
	PVC 45° bend elbow, 4"		pcs.		
	PVC 45° bend elbow, 3"		pcs.		
	PVC 45° bend elbow, 2"		pcs.		
	PVC 90° bend elbow, 4"		pcs.		
	PVC 90° bend elbow, 3"		pcs.		
	PVC 90° bend elbow, 2"		pcs.		
	Clean Out, 4"		pcs.		
	Clean Out, 3"		pcs.		
	PVC P-Trap, 2"		pcs.		
	Solvent 400cc		•		
122	Water Supply Lines		pcs.		
12.3	PPR Pipe 1/2"Ø x 12'		lang+h		
			length		
	PPR Pipe 1"Ø x 12' PPR elbow 1/2"Ø x 45°		length		
	PPR elbow 1'/2"Ø x 45° PPR elbow 1"Ø x 45°		pcs.		
	PPR elbow 1"Ø x 45° PPR elbow 1/2"Ø x 90°		pcs.		
	PPN elbow 1/2 Ø X 90°		pcs.		



Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

ITEM#	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
	PPR elbow 1"Ø x 90°	٧	pcs.	- Citii CCC:	305 101742
	PPR Female elbow adopter 1/2"Ø		pcs.		
	PPR Tee 1/2"Ø		pcs.		
	PPR Tee 1"Ø		pcs.		
	PPR Coupling 1/2"Ø		pcs.		
	PPR Coupling 1"Ø		pcs.		
	PPR Union 1/2"Ø		pcs.		
	PPR Union 1"Ø		pcs.		
	PPR Gate Volve 1/2"Ø		pcs.		
	PPR Gate Volve 1"Ø		pcs.		
	PPR Male adopter 1/2"Ø		pcs.		
	PPR Male adopter 1"Ø		pcs.		
	PPR Female adopter 1/2"Ø		pcs.		
	SUB-TOTAL		pcs.		
13.00	OTHER ARCHITECTURAL ITEMS				
	Railings				
13.1	Prefab Stair railings and Ramp (38mmØ 304 Stainless pipe) (see specs and detail)		pcs.		
	20mmØ Stainless Steel Plain Round bar (standard)		pcs.		
	Welding Rod Stainless		kgs		
	Welding Nou Stalliess		rgs		
12.2	Logo and Signages				
15.2	SLSU Logo (see specs and detail)		lot		
	University Library signages (see specs and detail)		lot		
12.2	Green Wall		ΙΟΙ		
13.3			nec		
	G.I. Pipe, 1½"Ø x 20', Sch.40 2"x2"x 6mm Structural Wire mesh		pcs.		
			pcs.		
	3" x 3"x 3.5mm thk. x 6m. Length Angle Bar (standard) 2.5mm thk Powder Coated Aluminum Plate		length		
			pcs.		
12.4	3/16" x3/4", Blind rivets Water Wall		pcs.		
13.4			lot		
	Water Wall SUB-TOTAL		lot		
14.00					
	ELECTRICAL Panel Board and Breaker				
14.1	Panel board, 125 AT,3P,12 holes (bolt-on type Center Main)		unit		
	Panel board, 100 AT,3P,24 holes (bolt-on type Center Main) Panel board, 100 AT,3P,20 holes (bolt-on type Center Main)		unit unit		
	Circuit breaker, 100 AT, 3P (bolt-on type Main breaker)				
	Circuit breaker, 100 AT, 3P (boit-on type Main breaker) Circuit breaker, 125 AT, 3P (bolt-on type Main breaker)		units units		
	Circuit breaker, 125 AT, 3P (bolt-on type Main breaker) Circuit breaker, 160 AT, 3P (bolt-on type Main breaker)		unit		
	Circuit breaker, 160 AT, 5P (bolt-on type Main breaker) Circuit breaker, 15 AT, 2P (bolt-on type)				
	Circuit breaker, 15 AT, 2P (boit-on type) Circuit breaker, 20 AT, 2P (bolt-on type)		units units		
	Circuit breaker, 20 AT, 2P (boit-on type) Circuit breaker, 60 AT, 3P (bolt-on type)		units		
	Safety breaker with cover moulded case, 40 AT, 2P				
1/12	Lighting Fixtures		units		
14.2	5 5		coto		
	LED Square type Downlight, 18 Watts (Recessed)(Day Light)		sets		
	LED Circular Downlight 6"Ø, 18 Watts (Recessed)(Day Light)		sets		
	LED Circular 42 Watts Surface Mounted Ceiling Downlight (Daylight)		sets		
	LED 50 Watts Wall Lamp (Warm Light) Flexible Waterproof LED Strip light,AC220V with EU power plug, 120 led/m. 2835		sets		
	SMD High brightness (Warm White)		meters		
	Hand Dryer		sets		



Project: PROPOSED COMPLETION OF UNIVERSITY LIBRARY AT SOGOD CAMPUS

Location: SLSU-MAIN, SOGOD CAMPUS, SOGOD, SOUTHERN LEYTE

Owner: SOUTHERN LEYTE STATE UNIVERSITY

ITEM #	DESCRIPTION/MATERIALS	QTY	UNIT	UNIT COST	SUB-TOTAL
14.3	Wires & Cables				
	38 mm², THHN Wire (Stranded)		meters		
	30 mm², THHN Wire (Stranded)		meters		
	22 mm², THHN Wire (Stranded)		meters		
	14 mm², THHN Wire (Stranded)		meters		
	8.0 mm², THHN Wire (Stranded)		boxes		
	5.5 mm², THHN Wire (Stranded)		boxes		
	3.5 mm², THHN Wire (Stranded)		boxes		
	2.0 mm², THHN Wire (Stranded)		boxes		
14.4	Conduit Pipes and Fittings				
	PVC Conduit pipe, 3/4 in. dia.		length		
	PVC Conduit pipe, 1/2 in. dia.		length		
	PVC Junction box /cover, 4"x4"		pcs.		
	Flexible Hose		rolls		
	PVC Utility box, 2"x4"		pcs.		
	Electrical Tape (big)		rolls		
14.5	Wiring Devices				
	Switch, Flush Type,3-Gang "Wide series"		sets		
	Switch, Flush Type,2-Gang "Wide series"		sets		
	Switch, Flush Type,1-Gang "Wide series"		sets		
	Duplex Convenience Outlet, Flush Type "Wide series"		sets		
	Floor Mounted Duplex Convenience Outlet, Flush Type		sets		
	ACU Outlet, Flush Type,1-Gang "Wide series"		sets		
14.6	Cabling				
	CAT5		boxes		
	PVC Conduit pipe, 3/4 in. dia.		length		
	PVC Conduit pipe, 1/2 in. dia.		length		
	SUB-TOTAL			_	
15.00	MECHANICAL				
15.1	Automatic water sprinkler system		lot		
15.2	Fire hose cabinet & Piping		set		
15.3	Fire alam system		lot		
	SUB-TOTAL				

Total Material cost

A. DIRECT COST

- 1 Material Cost
- 2 Labor Cost (35% of A.1)
- 3 General Requirements (mob/demob, temp. facil.)
- 4 Earth Works (Excavation, line and grade)

SUB-TOTAL

B. INDIRECT COST

- 1 Contingency Allow. (5% of A.1)
- 2 VAT, Taxes, Misc. (7% of A.1-4 + B.1)
- 3 Contractor's Profit (10% of A.1-4)

SUB-TOTAL

TOTAL PROJECT COST

Prepared by: