

Republic of the Philippines **SOUTHERN LEYTE STATE UNIVERSITY** Main Campus, Sogod, Southern Leyte website: www.slsuonline.edu.ph email: slsumaincampus@gmail.com/ op@slsuonline.edu.ph telefax: (053) 577-8299



Bids & Awards Committee

SUPPLEMENTAL/BID BULLETIN No. 01

SUPPLY, DELIVERY & INSTALLATION OF VARIOUS OFFICE FURNITURE & FIXTURES

(PB 2020-G&S-08)

This Addendum No. 01 is issued to modify or amend items in the Bid Documents. This shall form an integral part of the Bid Documents.

Annex "A"						
From:	То:					
3 units Table Top Glass	3 units Table Top Glass					
(Science Lab. & Records Office)	(Science Lab. & Records Office)					
1 unit = size: 42"x24"x5cm thickness	1 unit = size: 42"x24"x5mm thickness					
1 unit = size: 2.5 ft x 3.7 ft x 5cm thickness	1 unit = size: 2.5 ft x 3.7 ft x 5 mm thickness					
1 unit = size: $2f_x + 4f_x + 5cm$ thickness	1 unit = size: $2.511 \times 3.711 \times 51111$ thickness					
2 units Service Station	2 units Service Station					
(End-user: CHTM)	(End-user: CHTM)					
Specs:	Specs:					
Waiter's Station	Food Service Station 1					
	Tops Black Crystal					
N THE	Dimension 146 inch. In X 40					
	inch. X 40 inch.					
1 10 10 10 10 10 10 10 10 10 10 10 10 10						
8						

Specs:		Food Service Station 2					
Food Service Station 1							
Tops Dimension		Black Crystal 46 inch. In X 40 inch. X 40 inch.					
	3						
		Tops		wooden			
		Dimensio	on	146 inch. In X 40 inch. X 40 inch.			
			Tops	qualit	n gauge, high y stainless steel, no.		
Feed and a second second					sh, double skinned		
Food service station 2			Drawers	1.2mm gauge, high quality stainless steel			
			Body	w/lock Full double skinned and			
					d construction, to RHS, mid shelf to		
			LHS,	double skinned			
				doors hinge	to front, full piano		
Tops		wooden	Feet	-	astors (2 x locking,		
Dimension		146 inch. In X 40		2 x non locking), plate			
	1	inch. X 40 inch.			ted nylon		
Tops		n gauge, high	Dimensions	900m 1050r	m x 600mm x		
	quality stainless steel, no. 4 finish, double			10501	11111		
	skinne						
Drawers							
		y stainless steel					
Body	Body Full double skinned and welded construction,						
	-	to RHS, mid shelf S, double skinned					
		to front, full piano					
	hinge	promo					
Feet	Ŭ	astors (2 x locking,					
		on locking), plate					
Dimensi	1	ted nylon					
Dimensions	900m 1050n	m x 600mm x nm					
1 unit Shelf (End-user: IGP)		1 unit Shelf (End-user: IGP)					
Specs: Slotted Angle Shelving Racks (Customized) 5 layers, 200 cm x 50cm x 200 cm			Specs: Slotted Angle Shelving Racks (Customized) 5 layers, 200 cm x 50cm x 200 cm Industrial Shelf				

For guidance and information of all concerned.

(Sgd.)EPHRAIM L. CALOPE BAC Chairperson Date: November 12, 2020